



**STOP
SPORTS
INJURIES**

SPORTS TIPS

DISTRIBUTED BY:



A STOP Sports Injuries
Collaborating Organization

FIGURE SKATING INJURIES

In recent years the physical demands of figure skating have increased dramatically with a corresponding increase in potentially detrimental effects on the adolescent body. With the elimination of figures from competition in 1999 and the introduction of a new judging system in 2003, the technical difficulties of spinning, jumping, connecting moves, lifts, and throws have significantly increased. Sound technique, proper equipment, and smarter practices and training schedules are imperative for skaters to maintain healthy bodies.

WHAT ARE SOME OF THE MOST COMMON FIGURE SKATING INJURIES?

Figure skaters suffer both overuse and traumatic injuries. About half of all injuries are caused by overuse and are preventable. Singles skaters have a higher incidence of overuse injuries, while pair skaters and ice dancers are more prone to traumatic injuries.



WHAT ARE SOME OF THE MOST COMMON FIGURE SKATING INJURIES? (continued)

Common Overuse Injuries

- Stress fractures, most commonly to the foot or spine
- Stress reactions, such as shin splints and medial tibial stress syndrome
- Tendonitis – Achilles, patellar, or peroneal
- Muscle strains of the hip
- Jumpers knee or patellofemoral syndrome
- Apophysitis – Osgood-Schlatter (knee) or iliac crest (hip)
- Bursitis in the ankle
- Lace bite, an irritation of the tibialis anterior and toe extensor tendon

Common Traumatic Injuries

- Ankle sprains and fractures
- Dislocation of the patella or shoulder
- ACL and meniscal tears
- Head injury and concussion
- Labral tears of the hip
- Lacerations

WHAT CAUSES FIGURE SKATING INJURIES?

Overtraining and Poor Technique

Impact at landing generates deceleration forces measuring up to 100 Gs in adolescent skaters. This phenomenal force is transmitted throughout the lower extremity contacting the ice and axial skeleton and is the main contributor to the host of injuries sustained in figure skating.

Equipment

Boot stiffness: A stiff skating boot is similar to a cast. The stiffer the boot, the more limited the motion at the ankle and thus the knee, hip, and back. This limited motion may contribute to muscle weakness in the foot and ankle.

Blade placement: Poorly placed blades can cause the skater to shift more to an outside or inside edge.

Blade sharpness: Blades that are too sharp can cause less experienced skaters to be more susceptible to traumatic injuries due to the tendency for the blade to “pull” the skater.

HOW ARE FIGURE SKATING INJURIES TREATED?

Traditional treatment of RICE (rest, ice, compression, elevation) is sufficient for many overuse injuries. Bone stimulators, short-acting steroid injections, and platelet-rich-plasma injections are emerging as more advanced treatment interventions for chronic muscles injuries and stress fractures.

Copyright © 2010. American Orthopaedic Society for Sports Medicine. All rights reserved.

HOW CAN INJURIES IN FIGURE SKATING BE PREVENTED?

- Reduce exposure to high-G-force landings by limiting the repetition of jumps—especially poorly mastered or new jumps—per training session.
- Increase proficiency with new jumps through off-ice training, use of a harness, and ensuring a proper conception of perfect form prior to on-ice repetitions.
- Avoid learning new elements during growth spurts, as this causes increased stress on the body.
- Warm up for 5-10 minutes prior to putting on skates and stepping on the ice.
- Properly fit and break in boots; adjust skate blades and sharpen appropriately.
- Inspect ice regularly for chips or gouges that might cause injury.
- Perform off-ice conditioning to improve core strength and fitness.
- Maintain adequate nutrition. Skaters, particularly girls, are at risk for eating disorders.
- Create conversation between coach, skater, and parents to minimize injury and avoid overtraining.
- Avoid skating with pain and see a physician if pain persists.

EXPERT CONSULTANTS

Jennifer Couch Petty, MPT
Damon H. Petty, MD

REFERENCES

New York Times 2009, Belluck P. *Science Takes to the Ice*. Retrieved from <http://www.nytimes.com/2009/06/23/science/23skate.html>

Porter, E, CC Young, MW Niedfeldt, and LM Gottschlich. “Sport Specific Injuries and Medical Problems of Figure Skaters.” *Wisconsin Medical Journal*, Sept. 2007.106(6): 330-4.

Sports Tips provide general information only and are not a substitute for your own good judgement or consultation with a physician. To order multiple copies of this fact sheet or learn more about sports injury prevention, please visit www.STOPSportsInjuries.org.

